

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Mr. Allen Blem Chemtura Corporation 199 Benson Road Middlebury, Connecticut 06749

OCT 2 9 2013

Subject:

Notification for label changes per PRN 98-10: Primary Brand Name change

New Primary Brand Name: Rancona® V RS

Submission date: 9/13/2013

Current Product Name: Rancona® RS

EPA Reg. No. 400-581 Decision Number 483508

Dear Mr. Blem:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10. The Registration Division (RD) has conducted a review of this request for applicability under PRN 98-10 and finds that the action(s) requested falls within the scope of PRN-98-10.

The Primary Brand Name Rancona® V RS dated 9/13/13 is "acceptable" and will be placed in the regulatory file. The Brand Name Rancona® RS is now listed as inactive in our files

If you have questions concerning this letter, please call Banza Djapao at 703-305-7269 or via email at djapao.banza@epa.gov, or you may call me at 703-305-5410.

Sincerely,

Hope Johnson

Product Manager 21 Fungicide Branch

Registration Division (7504P)


United States EPA Environmental Protection Ager	Registration Compared Amendment	OPP Identifier Number		
Washington, DC 20460	☐ Amendment ☐ Other			
	Application for Pesticide - Section I			
1. Company / Product Name 400-581	EPA Product Manager Hope Johnson	3. Proposed Classification [⊠] None [□] Restricted		
4. Company / Product (Name) RANCONA® RS	PM# 21	((()		
Name and Address of Applicant (Include ZIP Code) Chemtura Corporation	1	ith FIFRA Section 3(c)(3)(b)(1), my product is		
199 Benson Road	EPA Reg No.	congression of the congression o		
Middlebury, Connecticut 06749 Check if this is a new address	Product Name			
CHOCK I WAS IN THE STATE OF THE	Section II	CCCC CCC		
[] Amendment - Explain below.	[<u></u>] F	Final printed labels in response to Agency letter dated		
Resubmission in response to Agency letter dated_		'Me Too" Application.		
[⊠] Notification - Explain below.		Other - Explain below.		
Explanation: NOTIFICATION: Change of Primary Brand Name to Rancona VRS and addition of packaging container type. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. 1 further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.				
	Section – III			
Material This Product Will Be Packaged In:				
Child-Resistant Packaging [□] Yes* [□] No * Certification must be	Water Soluble Packaging [□] Yes [□] No	2. Type of Container [☒] Metal [☒] Plastic (No change in [☒] Glass container or [☒] Paper package)		
Unit Packaging wgt 8 or 2 X	2.5 gal.	[] Other (Specify)		
3. Location of Net Contents Information [⊠] Label [□] Container 4. So the second se	Size(s) Retail Container 5. I 6 fl. oz., 2.5 gal., 15 gal., 30 gal., [∑ 0 gal., 250 gal. [∑	Location of Label Directions On Label On Labeling accompanying product		
6. Manner in Which Label is Affixed to Product	[□] Lithograph [□] Paper glued [□] Stenciled	Other		
	Section - IV			
Contact Point (Complete items directly below for identification of the property of the pr				
Name Title Denise Dzialo Regi	gistration Specialist	Telephone No. (Include Area Code) 203-573-3848 e-mail: denise.dzialo@chemtura.com		
Certificat I certify that the statements I have made on this form and all attachr that any knowingly false or misleading statements may be punish 2. Signature 3.	ments thereto are true, accurate and complete. I acknowled	6. Date Application Received (Stamped)		
2. Signature 3.	Registration Manager, N. America			
	5. Date			
Allen R. Blem	September 13, 2013			

Chemtura Corporation

199 Benson Road Middlebury, CT 06749 (203)573-2000

September 13, 2013

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, Virginia 22202-4501



Attention:

Dr. Paul Mastradone, Team Leader

Notifications and Minor Use Formulations (7505P)

Subject:

Notification of Change in Primary Brand Name per PR Notice 98-10 and Addition

of Container Type

Dear Dr. Mastradone:

Chemtura Corporation (Company No. 400) herein submits an Application for Amendment of Registration by the Notification Method for a change in **Primary Brand Name** for the registered product, Rancona[®] RS (EPA Reg. No. 400-581):

EPA Reg. No.: 400-581

Primary Brand Name: Rancona® RS

Proposed New Primary Brand Name via Notification: Rancona® V RS

As required, one (1) copy of the proposed label, highlighted to indicate the proposed change, is attached.

Additionally, via notification, Chemtura would like to include 'metal' as a type of packaging container.

If you have any questions or comments about this submittal, please contact Denise Dzialo at 203-573-3848 or email denise.dzialo@chemtura.com.

Sincerely,

Chemtura Corporation

100 (2. Blan

Allen R. Blem

Product Registration Manager, North America

RANCONA® V RS

SEED PROTECTANT FOR CANOLA AND RAPESEED

Active Ingredients:	
carboxin (CAS No. 5234-68-4)	6.780%*
ipconazole (CAS No. 125225-28-7)	0.727%*
Other Ingredients**:	92.493%
Total:	100.000%
*Contains 0.73 lbs. carboxin and 0.078 lbs. ipconazole per gallon, or 87.5 grams	carboxin and
9.38 grams ipconazole per liter	•
**Contains petroleum distillate	

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID		
IF INHALED:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. 	
IF ON SKIN OR CLOTHING:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 	
IF SWALLOWED:	 Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. 	

NOTE TO PHYSICIAN: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

EMERGENCY ASSISTANCE: Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

MEDICAL EMERGENCY: 800-292-5898.

TRANSPORTATION EMERGENCY (CHEMTREC): 800-424-9300

PRODUCT SAFETY DATA (MSDS): 866-430-2775

For PRODUCT USE INFORMATION: Call 800-243-2850

Net Contents:

NOTIFICATION



EPA Reg. No. 400-581 EPA Est. No. 002/ Manufactured for: Chemtura Corporation 199 Benson Road Middlebury, CT 06749

ULI 2 9 2013

5/9

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Harmful if inhaled. Avoid breathing dust or vapor. Avoid contact with skin or clothing. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical resistant to this product are listed below. If you want more options, follow the instructions for Category C on an EPA chemical resistance category selection chart.

All Mixers, Loaders, Applicators and other handlers must wear: long-sleeved shirt and long pants, socks plus shoes, chemical-resistant apron when mixing or loading, and chemical-resistant gloves, except when bagging or sewing bags of treated seeds.

User Safety Requirements: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change clothing.

This product may have effects on federally listed threatened or endangered species or their critical habitat in some counties. It is a violation of federal law to kill, harm or harass listed animal species without authorization. To limit the potential for such impacts when using this product, consult and follow the instructions provided in the EPA Endangered Species Bulletin for the County or Parish in which you are applying the seed. To determine whether your County or Parish has a bulletin, consult http://www.epa.gov/espp before each season's use of this product. Bulletins also may be available from local pesticide dealers, extension offices, or State pesticide agencies.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Rancona V RS is a flowable seed treatment for the control of seed rots, damping off, and seedling blights caused by *Rhizoctonia* spp. and *Fusarium* spp. on canola and rapeseed. This product also provides control of seed-borne blackleg (phoma) of canola.

Canola seed grown and harvested from Rancona V RS treated seed can be used for edible oil production. However, industrial oil rapeseed grown and harvested from Rancona V RS treated rapeseed is ONLY for industrial uses. Such rapeseed can NOT BE USED FOR EDIBLE OIL PRODUCTION or any other human or animal food or feed consumption.

SEED TREATMENT EQUIPMENT

Rancona V RS is for use by commercial seed treaters only and is not for on-farm use. DO NOT apply Rancona V RS as a planter box or hopper box treatment or other seed treatment applications at or immediately before planting. Rancona V RS may be applied with mechanical, slurry, or mist-type seed treating equipment, provided that the equipment can be calibrated to apply this product accurately and uniformly to seed. Uniform application to seed is necessary to ensure best disease protection and optimum performance. Seed should be sound and well-cured before treatment.

ALWAYS SHAKE, STIR OR OTHERWISE MIX THIS PRODUCT WELL BEFORE USING. Rancona V RS must be THOROUGHLY AGITATED to ensure uniform mixing of the product, both prior to and during application.

Rancona V RS is ready to use and may be applied to seed as purchased. However, dilution with water (or container rinsate) may help provide more uniform seed coverage when using some types of treaters and/or when treating under dry and/or hot conditions. Apply with up to 2 parts of water per 1 part of Rancona V RS, by volume. Thoroughly mix Rancona V RS with water or rinsate into a slurry before attempting to treat seed. The appropriate amount of dilution water depends on the seed, the treater type and the temperature and humidity at treatment. Contact your local Chemtura representative or supplier for specific recommendations. Use care if diluting more than 6% (by volume) with water or rinsate. Excess seed wetness may result in seed handling difficulties, especially if used as a tank mix with seed treatment insecticides or other products. Adding too much water can also cause Rancona V RS to thin, resulting in undesired settling of the solids in the slurry. Recalibrate the treating equipment to compensate for the addition of any water or rinsate.

Rancona V RS treated seed does not require drying after treatment.

APPLICATION INSTRUCTIONS

Crop	Pest	Rate (fl. oz. Rancona V RS per 100 lbs. seed)
Canola, Rapeseed	Seed rots, damping off, and seedling blights caused by <i>Rhizoctonia</i> spp. and <i>Fusarium</i> spp. Seed-borne blackleg (phoma) of canola	12.3

USE RESTRICTIONS AND PRECAUTIONS

- 1. DO NOT use treated seed for food or animal feed or processing for oil.
- 2. DO NOT use Rancona V RS in combination with other seed treatment products unless compatibility has been verified. Read and follow carefully all label directions of each combination product. When using combinations of products, the most restrictive of label limitations and precautions must be followed.
- 3. DO NOT graze or feed livestock on treated areas for six weeks after planting.
- **4.** Rapeseed grown and harvested from Rancona V RS treated rapeseed is ONLY for industrial uses. Treated rapeseed can NOT BE USED FOR EDIBLE OIL PRODUCTION or any other human or animal food or feed consumption.
- **5.** Rape greens grown and harvested from Rancona V RS treated rapeseed MUST NOT be used for human food and feed consumption.

TREATED SEED LABELING

Seed that has been treated with this product that is then packaged or bagged for future use must contain the following labeling on the outside of the seed package or bag:

This bag contains seed treated with carboxin and ipconazole. Do not use treated seed for food or animal feed or processing for oil. Persons opening this bag or loading/pouring the treated seed must wear a long-sleeved shirt, long pants, chemical resistant gloves, shoes and socks.

- Treated seed may not flow as freely as untreated seed in your planter or drill. Check seeding rates and make adjustments if necessary to obtain desired seeding rate.
- Treated seeds exposed on soil surface may be hazardous to wildlife. Cover or collect treated seeds spilled during loading and planting. Dispose of all excess treated seed by burying seed away from bodies of water. Do not contaminate bodies of water when disposing of planting equipment wash water. Dispose of seed packaging or containers in accordance with local requirements.

- Excess treated canola seed may be used for ethanol production only if (1) byproducts are not used for livestock feed, and (2) no measurable residues of pesticide remain in ethanol byproducts that are used in agronomic practice.
- After seeds have been planted, do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours. *Exception*: Once the seeds are planted and covered by soil or other planting media, the Worker Protection Standard allows workers to enter the treated area without restriction if there will be no contact with soil/subsurface. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls, chemical resistant gloves, shoes plus socks.
- DO NOT graze or feed livestock on treated areas for six weeks after planting.
- Ipconazole may persist in soil, and long-term use may result in an accumulation of active ingredient.
- This product may have effects on federally listed threatened or endangered species or their critical habitat in some counties. It is a violation of federal law to kill, harm or harass listed animal species without authorization. To limit the potential for such impacts when using this product, consult and follow the instructions provided in the EPA Endangered Species Bulletin for the County or Parish in which you are applying the seed. To determine whether your County or Parish has a bulletin, consult http://www.epa.gov/espp before each season's use of this product. Bulletins also may be available from local pesticide dealers, extension offices, or State pesticide agencies.
 - Rapeseed grown and harvested from Rancona V RS treated rapeseed is ONLY for industrial use. Such rapeseed can NOT BE USED FOR EDIBLE OIL PRODUCTION or any other human or animal food or feed consumption.
- Rape greens grown and harvested from Rancona V RS treated rapeseed MUST NOT be used for human food and feed consumption.

ALWAYS SHAKE, STIR OR OTHERWISE MIX THIS PRODUCT WELL BEFORE USING.

8/9

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE:

Store in original container only. After partial use, replace lid and close tightly. Store in a secure place that is temperate, dry and out of direct sunlight. Due to its viscosity, store this product above 50°F prior to and during application. DO NOT store Rancona V RS at low temperatures. PROTECT FROM FREEZING. DO NOT apply direct heat to the container. ALWAYS SHAKE, STIR OR OTHERWISE MIX THIS PRODUCT WELL BEFORE USING.

PESTICIDE DISPOSAL:

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:

Nonrefillable container

Plastic Containers: Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Then offer container for recycling, reconditioning, or puncture and dispose of in a sanitary landfill, by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Triple rinse as follows: For containers with capacity equal to or less than 5 gallons or 50 pounds: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Add water - at least 2% of the container volume, and (if the treating mixture composition permits it) up to ¼ of the container volume - and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. If used in application equipment, adjust the slurry volume application rate to account for any added rinsate water.

For containers with capacities greater than 5 gallons or 50 pounds: Empty the remaining contents into application equipment or a mix tank. Add water - at least 2% of the container volume, and (if the treating mixture composition permits it) up to ¼ of the container volume. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 60 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. If used in application equipment, adjust the slurry volume application rate to account for any added rinsate water.

Recycling: Once cleaned, some agricultural plastic pesticide containers can be taken to a container collection site or picked up for recycling. To find the nearest site, contact your chemical dealer or manufacturer, or contact the Ag Container Recycling Council (ACRC) at 1-877-952-2272 (toll free) or www.acrecycle.org.

Refillable container

Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

To clean the container before final disposal, empty the remaining contents into application equipment or mix tank. Add water - at least 2% of the container volume, and (if the treating mixture composition permits it) up to ¼ of the container volume. Replace and tighten closure. Agitate vigorously or recirculate the rinsate with a pump for at least 2 minutes, ensuring that the rinsate rinses the walls of the container. Empty the rinsate into application equipment or rinsate collection system, for later use or disposal. Repeat this procedure two more times. If used in application equipment, adjust the slurry volume application rate to account for any added rinsate water.

IMPORTANT NOTICE - Seller warrants that this product conforms to the chemical description and is reasonably fit for the purposes stated on the label only when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product, contrary to label instructions, or under conditions not reasonably foreseeable to seller, and, to the extent consistent with applicable law, the buyer assumes the risk of any such use.

Treatment of highly mechanically damaged seed or seed known to be of low vigor and poor quality may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small test sample of seed before treating commercial quantities with a selected chemical treatment. Due to seed quality and seed storage conditions beyond the control of Chemtura Corporation, Chemtura Corporation makes no claims or guarantees as to germination of carry-over seed.

Rancona[®] is a registered trademark of Chemtura Corporation Chemtura AgroSolutions[™] is a trademark of Chemtura Corporation ©Copyright 2013, Chemtura Corporation